

List of second hand machines

dough producing

Device-No.	Manufacturer	Type	Year	Description
020 .05689	DMS	DSE 141		flake ice machine, approx. 135kg output per day, including storage container for 130kg,
020 .05493	DELTA	Deltamatic D50		Water mixing and dosing device, with 2 inlets, digital display for liters and temperature, manual temperature setting: +5 to + 50 ° C, dosing quantity: 0.5 - 99.5 liters, wall-mounted incl. 2 shut-off valves, incl. outlet hose
020 .05395	Kövy	Vorportionierer		Star cutter, pre portioner, capacity approx. 160 kg dough, height of the top edge 310 cm, height of the bottom edge 220cm, including 2 conveyor belts height 210, length 310, for filling up to 3 divider, with level sensors for the hoppers
020 .05394	Diosna	HK 224	2004	bowl lifter, suitable for DIOSNA bowls, construction height: apprx. 4,80m, tipping height apprx. 3,30m, lifting capacity apprx. 550kg load, lifting side right
020 .05393	Diosna	SP 200 AFT	1999	spiral mixer, with anti-dust covering, with digital control, with 2 speeds stainless steel agitator, with bowl clamping, with 1 extendible stainless steel bowl, for apprx. 200kg dough
020 .05291	Kemper	HK 200		bowl lifter, tipping height 180cm, total height 280cm, for bowl DIOSNA 200/240
020 .05273	Hommel	2000 Super		rest bread mixer
020 .05251	Kemper	PRO 125 A SPS-V	2001	spiral mixer, with anti-dust covering, with digital control, with various speeds, stainless steel agitator, with 3 extendible stainless steel bowls, for apprx. 200kg dough

List of second hand machines

020 .03860

BOKU

160

stainless steel bowls, for 160kg dough, diameter (external) 84 cm x depth 51 cm. 1 unit available.

List of second hand machines

bread and bun producing

Device-No.	Manufacturer	Type	Year	Description
030 .05685	BM-TEC	Aufarbeitungstisch		working table, dimensions approx. W: 80 x H: 90 x L: 300cm, with wooden plate 2x30cm wide, with conveyor belt 20cm x 300cm, including belt scraper, with drive continuously adjustable, additional mounting plate without belt 80 x 300cm, mobile
030 .05684	BM-TEC	Aufarbeitungstisch	2009	working table, dimensions approx. W: 135 x H: 90 x L: 250cm, with wooden plates 38cm / 58cm wide, with conveyor belt 35cm x 300cm, including belt scraper, continuously speed adjustable, spout height-adjustable , mobile
030 .05678	Lippelt	Rumo		Humidification and turntable sprinkling station, with fixed water connection, connection values 400V, humidification takes place via 2 immersion baths
030 .05672	Rheon	V4 VX 202 Stress Free Div	2009	Stress Free Divider, dough divider, 2 rows, incl. 2 dusters Weight range: 50 - 1,250 gr., With belt scales, with star cutter oiling, digital control, stainless steel clad, with funnel 50kg
030 .05661	Fortuna	Primus K6-5-4	2011	Head machine, can be changed 4-5 or 6 rows, weight range approx. 30 - 80gr, with digital TOUCH control, completely clad in stainless steel
030 .05660	Fortuna	KM 5 BAK SDL	2006	Head machine, 5 rows, weight range approx. 30 - 85gr, with manual control, completely clad in stainless steel, including long rolling station and deposition
030 .05623	Rheon	V4 VX 202 Stress Free Div	2008	stress free dough divider, 2-rowed, including 2 flour dispenser, weight range 50-1250 g, with belt weigher and star cutter lubrication, with digital control, stainless steel covered, with hopper for 50kg dough
030 .05617	König	Brötchenanlage	1999	bun line, stainless steel cladding, capacity up to 7000 p/h now working on 5500 p/h, 5 rowed Rex head machine, weight range approx 35 -85gr, with proofer with 4 stamps, with tray depositor

List of second hand machines

030 .05541	W & P	CCR 59-2002	2012	Conical rounder, weight range approx. 400 - 2,000 g, Teflon coated, output approx. 3,600 pieces / h, with oiling and blower, input 6 o'clock, output 9 o'clock via conveyor belt, working length approx. 6 m, with heating
030 .05540	W & P	V500	2013	dough divider, - or 2-rowed, suitable for wheat dough, mixed wheat and mixed rye dough (up to 80 % rye), stainless steel cladding, weight range 150 - 2.500 g/piece, up to 3200 p/h
030 .05509	BM-TEC	Aufarbeitungstisch		working table, dimensions approx. W: 1.15 x H: 1.00 x L: 2.20 m, with wooden panels 2 x 40 cm, with transport belt 35 cm, including belt scraper, speed adjustable, standing on wheels
030 .05508	Rheon	V4 VX 202 Stress Free Div	2007	stress free dough divider, 2-rowed, including 2 flour dispenser, weight range 50-1250 g, with belt weigher and star cutter lubrication, with digital control, stainless steel covered, with hopper for 50kg dough
030 .05495	Rheon	V4 VX 121 Stress Free Div	2000	dough divider/sheeter, incl. 2 flourer, weight range 100 - 10.000 g, lubrication, pressure oil tank, performance up to 800 kg dough/h, for different square products, Baguette, etc.
030 .05494	Rheon	SR 002	2010	Cuprounder station, for Rheon Twin Divider, 2-row weight range rolls approx. 50-150gr performance approx. 2400 pieces / h, 1-row bread approx. 300-600gr performance approx. 1200 pieces / h
030 .05461	Rheon	V4 VX 201 Stress Free Div	2003	stress free dough divider, can be operated 1 or 2-rowed, including 2 flour dispensers, weight range 50-400 g, with belt weigher and standard lubrication, with pressure oil tank, digital control, stainless steel covered, with hopper for appr. 50 kg
030 .05459	BM-TEC		2012	Spreader station, humidifikation and sprinkling unit, double-sided, with seed return system, dropping station
030 .05458	BM-TEC	Stanzband	2017	4-rows with cutting tool for diamond cutting/Raute

List of second hand machines

030 .05411	Rheon	V4 VX 202 Stress Free Div	2007	stress free dough divider, 2-rowed, including 2 flour dispenser, weight range 50-1250 g, with belt weigher and star cutter lubrication, with digital control, stainless steel covered, with hopper for 50kg dough
030 .05404	König	Artisan SFC	2010	for squared buns, with stencil and guillotine, with cutting tools, with humidification unit, 3 cutting rolls: 4/3/2, 3 stencils: #, double cut and Rhombus, guillotine for squared buns, capacity approx 400kg per h
030 .05402	Rheon	V4 VX 202 Stress Free Div	2007	stress free dough divider, 2-rowed, including 2 flour dispenser, weight range 50-1250 g, with belt weigher and star cutter lubrication, with digital control, stainless steel covered, with hopper for 50kg dough
030 .05401	Fortuna	Automat A3 - 30		dough divider/ bun press, with moulding function, size 3 (30 portion), automatic, swivelling head, weight range approx. 30 - 75 g
030 .05398	Kövy	Kombi Brötchenanlage		bun line, stainless steel covered, capacity approx. 9000 cut or stamped buns, weight range 40-110gr, composed of head Primus K6, intermediate prover KÖVY KHA-S with long roller, cutting and stamping station, sprinkling (double) and dropping table
030 .05397	Kövy	Brötchenanlage	2006	composed of head machine 6-rows, stainless steel covered, weight range 30-80gr, with digital control, Kövy proover with long molding and cutting station, with dropping belt
030 .05396	Kövy	Brötchenanlage	2008	composed of head machine 6-rows, stainless steel covered, weight range 40-110gr, with TOUCH control, Kövy proover with long molding and cutting station, with dropping belt
030 .05352	Rheon	V4 VX 202 Stress Free Div	2005	stress free dough divider, 2-rowed, including 2 flour dispenser, weight range 50-1250 g, with belt weigher and star cutter lubrication, with digital control, stainless steel covered, with hopper for 50kg dough
030 .05307	BM-TEC	Aufarbeitungstisch	2010	working table, measurements approx. B: 1,00 x H: 0,90 x L:2,5 m, with wood plates, with conveyor belt 50 cm, incl. band scraper, with infinitely adjustable driving mechanism, movable

List of second hand machines

030 .05305	BM-TEC		2010	Spreader station, humidifikation and sprinkling unit, double-sided, with seed return system, dropping station
030 .05304	Rheon	V4 VX 122 Stress Free Div	2010	dough divider/sheeter, incl. 2 flourer, with cross roller, weight range 200 - 10.000 g, dough belt size 200 - 350mm, with star cutter lubrication, with pressure oil tank, performance up to 800 kg dough/h, for different square products, Baguette, etc.
030 .05275		Vorportionierer		pre portionier, funnel for about 120kg dough, outlet height 190cm, slide size 30x60cm, slide electrically operated, funnel height 250cm, mobile
030 .05207	BM-TEC	Aufarbeitungstisch		working table, measurements appr. B: 1,00 x H: 0,90 x L:2,5 m, with wood plates, with conveyor belt 50 cm, incl. band scraper, with infinitely adjustable driving mechanism, movable
030 .05188	Rheon	V4 VX 122 Stress Free Div	2008	dough divider/sheeter, incl. 2 flourer, with cross roller, weight range 200 - 10.000 g, dough belt size 200 - 350mm, with star cutter lubrication, with pressure oil tank, performance up to 800 kg dough/h, for different square products, Baguette, etc.
030 .05138		BRW		V-Belt molding machine, belt roudner, weight range approx 250 -2000gr, with blower weith heating

List of second hand machines

patisserie

Device-No.	Manufacturer	Type	Year	Description
040 .05658	Fritsch	70/650 E NU	2002	dough sheeting machine, full-automatic, with computer-control, band width 650 mm, various speeds, belts 180cm long, with flourer, with winder on the left side, with underrack
040 .05657	Fritsch	70/650 E NU	2002	dough sheeting machine, full-automatic, with computer-control, band width 650 mm, various speeds, belts 180cm long, with flourer, with winder on the right side, with underrack
040 .05618	Fritsch	EUROLINE Feingebäcklinie		pastry line, composed of: calibration head, cutting station for 2 cutting tools, humidification station, filling device 6-r, Guillotine, inkl. 4 cutting tools
040 .05610	Fritsch	60/650 E		Sheeter, fully automatic, with computer control, bandwidth: approx. 65cm, under. Belt speed, roll-out speed 56m / min, roller gap 0.5-42mm, dough block processing up to 15kg, belt length: L: 140 and R: 140 with dusting machine, with roller on the right
040 .05609	Seewer	SSO 64		Sheeter, 2 long belts 160cm, belt width 60cm semi-automatic, with scraper, stainless steel clad
040 .05608	Seewer	SSO 635		Sheeter, 2 long belts 120cm, belt width 60cm semi-automatic, with scraper
040 .05606	Seewer	SFS 6975 Compas 2000	1996	Sheeter, fully automatic, with computer control, bandwidth: approx. 64cm, under. Roller gap 0.5-45mm, dough block processing up to 15kg, belt length: L: 2 x 160cm with flour, with stainless steel underrack
040 .05605	Seewer	SFS 6955 Compass 2000	1995	Sheeter, fully automatic, with computer control, bandwidth: approx. 64cm, under. Roller gap 0.5-45mm, dough block processing up to 15kg, belt length: L130 x 160cm: with flour

List of second hand machines

040 .05362	Seewer	SYN 603		sheeter, semi automatic, 2 belts 120cm long belts, 60cm wide, roll gap 0 - 30mm
040 .05196	ERKA	BSA 60 + ZMV + Zuführb	2007	pretzel long molder, stainless steal covered, winding width on 2 levels from 40 to 60cm length, incl. Feeding, capacity aprox. 3,000 pieces per hour, incl. Removable molding board, for max. 300g pieces, molding way approx 2,5m
040 .05155	Fritsch	Multi Twist Brezel und Sta	2006	pretzel plant, for approx. 2000 p/h, weight range 60-100gr, composed of, Fortuna head machine, pre proover, centering and flattening unit, wind, long molder, pretzel looper SSB 700, tray depositor

List of second hand machines

refining

Device-No.	Manufacturer	Type	Year	Description
050 .05696	Dübör	automatische Bandanlage	2013	spray system with 2 spray modules, SM-J for apricot, jelly and icing with heating and FM-E for egg, oil, glossy, each with 15 L pressure tank, bandwidth 60cm, table length 160cm, speed adjustable, completely stainless steel mobil, mobile
050 .05680	Hobart	HSM 40	2012	Planetary mixer for approx. 40l, with 3 selectable speeds, timer 1-15min manual, raising / lowering bowl mauell, incl. stainless steel bowl approx. 40l, with trolley, including 1 whisk and 1 flat stirrer, with protective cover
050 .05679	Rheon	KN 135	2003	CORNUCOPIA Encrusting machine, max. Output approx. 20 - 100 pieces per min., Weight range approx. 10 - 150gr possible, belt speed. 2 - 35m / min, product length max.50cm, output approx. 180kg per hour, with exp. Funnel and base
050 .05600	REGO	VARIO	2006	mixing machine, with bowl 32l and broom, with digital control, speed can be selected individually
050 .05553	HAGESANA	Cream King SE 2		
050 .05406	Rheon	Solid Feeder	2000	with 5cm hole diameter
050 .05403	Rheon	KN 400	1998	Cornucopia encrusting machine suitable for a huge variety of products, max. performance 3.600 pcs./h, weight range 10 - 300g
050 .03843		Temperiergerät		tempering unit, with 2 tanks

List of second hand machines

cooling, proofing, freezing plants

Device-No.	Manufacturer	Type	Year	Description
060 .05625	NordCap	Polaris E 2033 S 30 AL		Freezer cabinet, incl. 4 grids 65 x 53cm, temperature range -10 to -25 ° C, with digital display, convection cooling, stainless steel clad
060 .05595	Wachtel	Thermico Plus	2018	Proofer, for 20 baking trays 60/40 or 10 baking trays 60/80 digital control, stainless steel clad, with water connection
060 .05480	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05479	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05478	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05477	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05476	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05475	Cool Compact	KTM 834660		cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate

List of second hand machines

060 .05474	Cool Compact	KTM 834660	cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05473	Cool Compact	KTM 834660	cooling table 190x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 3-doors for trays 60/40, work surface with embedded plastic plate
060 .05472	Cool Compact	KTM 824660	cooling table 140x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 2-doors for trays 60/40, work surface with embedded plastic plate
060 .05465	Cool Compact	KTM 824660	cooling table 140x80 H85cm, temperature range -2 to + 10 ° C, forced air cooling, completely stainless steel, with digital control, 2-doors for trays 60/40, work surface with embedded plastic plate

List of second hand machines

ovens and fat baking

Device-No.	Manufacturer	Type	Year	Description
070 .05683	Wiesheu	Euromat	2018	double shop bake-off station, consisting of oven types B4E2IS600 and B8E2IS600, for in total 15 baking trays 60/40, IS600 control, programmable by PC, door stop at the left, with self-cleaning function 365
070 .05682	Wiesheu	Euromat	2018	double shop bake-off station, consisting of oven types B4E2IS600 and B8E2IS600, for in total 15 baking trays 60/40, IS600 control, programmable by PC, door stop at the right, with self-cleaning function 365
070 .05671	Rhiele	Wendomat 48	1993	Fryer, for 48 donuts, with 2 manual reversible grids, with lid, with fermentation chamber, with drip tray, with 4 trolleys and 28 boards
070 .05667	Wiesheu	B4 E2 TS 200	2005	shop oven, for 4 baking trays 60/40, TS 200 control, with underframe and hood
070 .05666	Wiesheu	B4 E2 TS 200	2005	shop oven, for 4 baking trays 60/40, TS 200 control, with underframe and hood
070 .05640	Eloma	Multimax B 10-11	2013	Combi steamer, electric 14KW, 11 x 1/1 GN, digital control, with core temperature sensor, moist heat 30 ° C - 130 ° C, dry heat 30 ° C - 300 ° C, combination of damp and dry heat 30 ° C - 300 ° C ; with shower head
070 .05639	Eloma	Multimax A 10-11		Combi steamer, electric 14KW, 11 x 1/1 GN, digital control, with core temperature sensor, moist heat 30 ° C - 130 ° C, dry heat 30 ° C - 300 ° C, combination of damp and dry heat 30 ° C - 300 ° C ; with shower head
070 .05638	ROKA	RB 1509		Electric grill, water grill, electric 400V, 2 x 6.4KW 16 A plug Grill area 45 x 80cm, 2 temperature controls, external dimensions W 630 x D 900 x H 400 mm

List of second hand machines

070 .05637	ROKA	RB 1509		Electric grill, water grill, electric 400V, 2 x 6.4KW 16 A plug Grill area 45 x 80cm, 2 temperature controls, external dimensions W 630 x D 900 x H 400 mm
070 .05636	ROKA	RB 1509		Electric grill, water grill, electric 400V, 2 x 6.4KW 16 A plug Grill area 45 x 80cm, 2 temperature controls, external dimensions W 630 x D 900 x H 400 mm
070 .05635	ROKA	RB 1509		Electric grill, water grill, electric 400V, 2 x 6.4KW 16 A plug Grill area 45 x 80cm, 2 temperature controls, external dimensions W 630 x D 900 x H 400 mm
070 .05634	Eloma	Joker B6-23	2013	Combi steamer, electric 6KW, for GN 2/3 containers 35 x 32cm, incl. Grate and 2 perforated containers, dig control, core temperature probe, moist heat 30 ° C - 130 ° C, dry heat 30 ° C - 300 ° C, combination of moisture and Dry heat 30 ° C - 300 ° C;
070 .05633	Eloma	Joker B6-23	2011	Combi steamer, electric 6KW, for GN 2/3 containers 35 x 32cm, incl. Grate and 2 perforated containers, dig control, core temperature probe, moist heat 30 ° C - 130 ° C, dry heat 30 ° C - 300 ° C, combination of moisture and Dry heat 30 ° C - 300 ° C;
070 .05632	Eloma	Joker B6-23	2011	Combi steamer, electric 6KW, for GN 2/3 containers 35 x 32cm, incl. Grate and 2 perforated containers, dig control, core temperature probe, moist heat 30 ° C - 130 ° C, dry heat 30 ° C - 300 ° C, combination of moisture and Dry heat 30 ° C - 300 ° C;
070 .05631	Eloma	Backmastern EB 30 T	2015	Shop oven, electric 230V, for 3 baking trays 44 / 35cm, digital TOUCH control, with fixed water connection, with hood
070 .05630	Eloma	Backmaster EB 30 T	2016	Shop oven, electric 230V, for 3 baking trays 44 / 35cm, digital TOUCH control, with fixed water connection, with hood
070 .05629	Eloma	Backmaster EB 30 B	2010	Shop oven, electric 230V, for 3 baking trays 44 / 35cm, digital TOUCH control, with fixed water connection, with hood

List of second hand machines

070 .05628	Eloma	Backmeister EB 30 T	2015	Shop oven, electric 230V, for 3 baking trays 44 / 35cm, digital TOUCH control, with fixed water connection, with hood
070 .05627	ROKA	FR 1006		Double deep fryer, with 2 basins approx .: W 36 x D 24 x H 17 cm, Including baskets approx .: W 20 x D 27 x H 12 cm, stainless steel, 2 high-voltage connections à 6KW, temperature range up to 180 ° C, with lid
070 .05624	MIWE	RI FO 60/80	1995	Rack oven, for rack 60/80 with MUC control, with gas burner, with hood
070 .05621	Wiesheu	Euromat	2015	double shop bake-off station, consisting of oven types B4E2IS600 and B8E2IS600, for in total 15 baking trays 60/40, IS600 control, programmable by PC, door stop at the right, with self-cleaning function
070 .05620	Wiesheu	Euromat	2012	double shop bake-off station, consisting of oven types B4E2IS600 and B8E2IS600, for in total 15 baking trays 60/40, IS600 control, programmable by PC, door stop at the left, with self-cleaning function
070 .05581	MIWE	Condo C 4-68		deck oven, electric, 4 decks à w 60 x d 80 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05580	MIWE	Condo C 4-68	2000	deck oven, electric, 4 decks à w 60 x d 80 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05579	MIWE	Condo C 4-68	2001	deck oven, electric, 4 decks à w 60 x d 80 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05578	MIWE	Condo C4-64	1995	deck oven, electric, 4 decks à w 60 x d 40 x h 17cm, manual control, with underrack, with steaming for each deck, with hood

List of second hand machines

070 .05569	Wiesheu	Euromat	2018	double shop bake-off station, consisting of oven types B4E2IS600 and B8E2IS600, for in total 15 baking trays 60/40, IS600 control, programmable by PC, door stop at the right, with self-cleaning function 365
070 .05558	Wiesheu	DIBAS A6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05557	Wiesheu	DIBAS A6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05555	Wiesheu	DIBAS A6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05536	Wiesheu	DIBAS A 6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05535	Wiesheu	DIBAS A 6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05534	Wiesheu	DIBAS A 6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05531	Friedrich	E2 6/4 M TOP UG AH		Deck oven, electric, 2 decks 60cm wide, 40cm deep with underframe, mobile, deck height 13cm, with stone plates, with upper and lower heating up to max. 265 ° C manual control, with timer 60min, snack line design
070 .05500	Rieber	Thermomat TM-SL-211 K	2009	oven, low temperature cooker, warming cupboard, electrical 230V connection, with core temperature sensor, with 2 drawers for one GN 1/1 tray max. 15cm high, temperature range 15-90 ° C

List of second hand machines

070 .05499		ALTO SHAAM Typ 500S	2004	oven, low-temperature cooker, hot cupboard, electrical 230V connection, for 10 baking trays 65x53cm, temperature range 15-90 ° C, incl. 2 gratings
070 .05412	Unox	E4 6/4 M GS AH SK	2002	deck oven, electric, 4 decks à w 60 x d 40 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05392	Debag	DILA 5/10	2016	double shop bake-off station, for in total 15 baking trays 60/40, digital PS 100 control, programmable by PC, door stop right, with self cleaning system
070 .05391	Friedrich			deck oven, electric, 4 decks à w 60 x d 80 x h 17/13/13/13 cm, manual control, with underrack, with steaming for each deck, with hood
070 .05389	MIWE	Condo C 3.68	2003	deck oven, electric, 3 decks à w 60 x d 80 x h 17cm, manual control, with underrack, with steaming for each deck, without hood
070 .05388	MIWE	Condo CO 3.0608		deck oven, electric, 3 decks à w 60 x d 80 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05386	MIWE	Condo C 4-64		deck oven, electric, 4 decks à w 60 x d 40 x h 17cm, manual control, with underrack, with steaming for each deck, with hood
070 .05377	MIWE	RI. 1.0608 TL	2008	rack oven for racks 60/80, MUC control, with gas burner and ramp, with hood
070 .05282	Wiesheu	DIBAS A6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC

List of second hand machines

070 .05281	Wiesheu	DIBAS A6/4 B	2009	double shop bake-off station, for in total 12 baking trays 60/40, IS600 control, programmable by PC
070 .05260	MIWE	AERO 4.0604	2012	double shop oven, electric, for 2x4 trays 60/40, with digital control, with steam, with steam condensor, with underrack
070 .05256	MIWE	AERO 4.0604	2011	double shop oven, electric, for 2x4 trays 60/40, with digital control, with steam, with steam condensor, with underrack
070 .05255	MIWE	AERO 4.0604	2012	double shop oven, electric, for 2x4 trays 60/40, with digital control, with steam, with steam condensor, with underrack
070 .05205	MIWE	JUMBO RI 2.0610 TL	2004	rack oven, for 2 racks 60/100, MUC control, with hood, with oil burner
070 .05204	MIWE	JUMBO RI 2.0610 TL	2004	rack oven, for 2 racks 60/100, MUC control, with hood, with oil burner
070 .05194	MIWE	JUMBO RI 2.0610 TL	2006	rack oven, for 2 racks 60/100, MUC control, with hood, with oil burner
070 .05168	MKN	Fettbackgerät		table fat baking device for approx. 15 Berliner, with lit
070 .05139	Jufeba	LN 1	1992	pretzel oven, tunnel oven 42cm wide, electric

List of second hand machines

cutting and packing

Device-No.	Manufacturer	Type	Year	Description
080 .05693	DIGI	AW 4600eAT POP	2013	fully automatic stretch film packaging machine for food tainer trays with scales and labeler, with additional advertising label printer output 36 p / min, package size width: 130-380mm, height: 10-150 mm, depth: 80-26mm, film roll size 260-400mm possible
080 .05673	Ried	Schneid Leo		Horizontal average cutting machine, for baguettes, rolls, croissants, pretzels, etc. Capacity approx. 2,000 / h with 2 knives, cutting height adjustable, channel width approx. 15cm, channel height approx. 9cm, completely stainless steel
080 .05655	MHS	IDEAL SB	2012	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05654	MHS	IDEAL SB	2012	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05653	MHS	IDEAL SB	2012	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05652	MHS	IDEAL SB	2012	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05650	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05649	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.

List of second hand machines

080 .05648	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05647	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05646	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05645	MHS	IDEAL SB	2013	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, 3 selectable slice thickness 4-24mm adjustable, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05644	Bizerba	VS 12	2003	meat slicer, semi-automatic, cutting thickness 0 - 24mm, ideal for meat, sausage, cheese, knife diameter 330mm, manual control, product to be sliced: max. 250 x 120 mm, 266 rpm
080 .05585	Bizerba	A 404	2009	Slicing machine, fully automatic, with digital control, knife size: 330 mm, with automatic storage, programmable, 200 program memories, stepless slice thickness adjustment: 0.5mm to 12mm, slide for 400 mm clamping length
080 .05572	PS Mako	PSBD 4	2016	Horizontal cross-section cutting machine, of roll-shaped baked goods, channel width approx. 35cm, channel height adjustable over material presser 15cm max. completely stainless steel
080 .05539	Bakon	INLINE	2011	Cake cutting machine with ultrasonic knife, for baking trays in sizes from 100 x 600 up to 800 x 600 mm, with TOUCH control, with a knife, with conveyor belt
080 .05462	Bizerba	A 404	2008	meat cutter, semi-automatic, digital control, blade 330 mm, automatic taking-off of the slices, infinitely adjustable slice thickness from 0,5 up to 12 mm, carriage for 400mm length, with underrack

List of second hand machines

080 .05435	Bizerba	GSP-H 25°	2017	meat slicer
080 .05434	Bizerba	GSP-H 25°	2017	meat slicer
080 .05432	Bizerba	GSP-H 25°	2017	meat slicer
080 .05431	Bizerba	GSP-H 25°	2017	meat slicer
080 .05430	Bizerba	GSP-H 25°	2017	meat slicer
080 .05429	Bizerba	GSP-H 25°	2017	meat slicer
080 .05418	KOLBE	K260	2017	belt saw, bone saw, material presser, complete stainless steel, cut side passage max .: 22.8cm, cutting height passage: max .: 25.3 cm, dimensions sliding table: 46 x 66cm, machine mobile
080 .05378	MHS	IDEAL SB	2012	bread slicer with circular knife, for loaves 33 x 25cm H: 15cm, selectable slice thickness 8/10/12 mm, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05348	Bizerba	GSP-H 25°	2018	meat slicer

List of second hand machines

080 .05339	Graef	MASTER 3370	2018	meat slicing machine
080 .05334	Treif	Diskus 280/300	2004	bread slicer with circular knife, for loaves 38 x 25cm H: 15cm, selectable slice thickness 4-24 mm, with deposit for bread bagging, stainless steel model, performance 130 slices/min approx.
080 .05301	Graef	MASTER 3370	2018	meat slicing machine
080 .05222	Graef	Master 3370		meat slicer
080 .05161	Bizerba	A 404	2017	meat cutter, full-automatic, with integrated scales, digital control, blade 330 mm, up to 99 different programmes can be saved, automatic taking-off of the slices, infinitely adjustable slice thickness from 0,5 up to 12 mm, with underframe
080 .05137	Hartmann	Drehtisch	2009	Packing table, with stainless steel plate 120 cm in diameter, table height 80 cm, speed adjustable 4 - 10 revolutions / minute
080 .05125	Graef	HA 800	2015	meat slicing machine
080 .05124	Graef	MASTER 3370	2017	meat slicing machine
080 .04940	Bizerba	VS 8 D	1993	meat cutter, semi-automatic, manual control, blade 330 mm, automatic taking-off of the slices, infinitely adjustable slice thickness from 0,5 up to 8mm

List of second hand machines

080 .04491	MHS	Basic L	2014	gate bread slicing machine, automatic, slice thickness 10mm, with lubrication, with deposit for bread bagging, max. possible loaf size 450 mm
080 .04441	Bizerba	A 404	2012	meat cutter, full-automatic, digital control, blade 330 mm, up to 200 different programmes can be saved, automatic taking-off of the slices, infinitely adjustable slice thickness from 0,5 up to 12 mm, with underframe

List of second hand machines

washing and cleaning

Device-No.	Manufacturer	Type	Year	Description
090 .05677		Spülbecken		Sink table, washbasin, WHD: 120cm x 85cm x 70cm, stainless steel, basins 50/50 H: 25cm, with storage space on the right side 60 x 70cm
090 .05676		Spülbecken		Sink table, washbasin, WHD: 120 cm x 85 cm x 70 cm, stainless steel, basins 50/50 H: 25 cm, with storage space on the left side 60 x 70 cm
090 .05665		Spülbecken		Hand wash basin and utility sink combination, arranged one above the other, with water tap on both basins, basin 1 H: 55 35x32x20cm, basin 2 H: 105 25x20x15cm, outside m. D70 x W 50 H 115cm
090 .05548		Stikken Steeg		Cleaning basin, rack trolley Cleaning basin, stainless steel clad, with heating, with lid
090 .05298	Kitzinger	Contino C 800	2001	Crate and basket washer, continuous flow rates max. 60 W x 35 cm H, capacity approx. 800 baskets / h, inlet-washing-rinse-rinse-drying zone / spout, complete length approx. 14m, screw filter
090 .05014		Spülbecken		Sink, BHT: 210cm x 85cm x 60cm, stainless steel, with shelf 190cm on the right side, with washbasin 50x50 H 25cm and with sink 40x40 H 30cm on the left side,
090 .05012		Spülbecken		Sink, BHT: 210cm x 85cm x 60cm, stainless steel, with shelf 190cm on the right side, with washbasin 50x50 H 25cm and with sink 40x40 H 30cm on the left side
090 .04903		Spülbecken		Sink, BHT: 210cm x 85cm x 60cm, stainless steel, with shelf 190cm on the right side, with washbasin 50x50 H 25cm and with sink 40x40 H 30cm on the left side, with shower

List of second hand machines

090 .04835 Spülbecken compartment sink, size: 2100 mm, 850 mm, 600 mm, stainless steel,

special machines

Device-No.	Manufacturer	Type	Year	Description
100 .05692	DMS	DK 120	2013	Cooking kettle for 120l, diameter 54cm, height kettle 54cm with continuously adjustable heating 60-200 ° C, with tap, mobile, with lid
100 .05691	DMS	DF 25 C	2018	Hydraulic sausage filler, volume 25l, incl. 3 filling tubes 14-20-30mm diameter, complete stainless steel
100 .05690	KOLBE	MWE 52	2014	Automatic mixer grinder, meat grinder, mixed meat grinder, output approx. 2000kg / h, hopper volume: 120l, incl. 3 piece 1/8 and 1piece 4.5-3/16 perforated disc, with 4-wing knife
100 .05688	DMS	DMK 80 C	2011	Cutter, with 6 knives, bowl content 80l approx. 64kg fine sausage meat, with thermometer, completely stainless steel, speed 1500 rpm,
100 .05687	DMS	DFM 35	2007	strip cutter/steaker completely stainless steel, incl. Strip roller 3.3mm, feed chute 200 x 30mm

List of second hand machines

manufacturing equipment

Device-No.	Manufacturer	Type	Year	Description
110 .05694	DMS	Verkaufstheke/Heiße Thek		mobile serving counter, (WxDxH): approx. 190x75x222cm made of stainless steel with 2 double doors and shelf, including hot counter type FE 1497 for 2/1 GN 755 x 800 x 570 mm, with lighting, temperature range: 30°C - 110°C
110 .05675		Edelstahlarbeitstisch		stainless steel working table 300 x 100 H: 110cm, with beech wood top
110 .05674		Zutaten Aufsatzregal		stainless steel, 65 x 48 H 65cm, with 3 plastic trays approx. 60x40 H: 15
110 .05670	BM-TEC	Förderband		Conveyor belt, discharge belt, ascending belt, 140cm long x 35cm wide, inlet 90cm high, outlet height adjustable by 18cm, speed adjustable
110 .05669	WMF	Prestolino	2011	Fully automatic coffee machine, coffee machine, with touch screen display and 6 product buttons with double receipt function, fixed water connection, with autom. Milk frother for fresh milk, height-adjustable spout, including milk refrigerator
110 .05668	WMF	Prestolino	2011	Fully automatic coffee machine, coffee machine, with touch screen display and 6 product buttons with double receipt function, fixed water connection, with autom. Milk frother for fresh milk, height-adjustable spout, including milk refrigerator
110 .05643		Hupfer TEH-2 V 27-33	2015	Plate stacker, plate warmer to accommodate round plates ø 270 to 330 mm in two convection-heated stacking shafts for 120 plates, with hoods, mobile,
110 .05641		Soßenspender		package offer 6 x sauce dispensers including GN 1/6 containers 4 x stations Consists of 8 sauce dispensers including 8 GN 1/6 containers

List of second hand machines

110 .05601		Zutatenregal		Ingredients wall shelf made of stainless steel, 6 boxes 20 x 36 H: 70cm, with lid, external dimensions 120 x 20 x H: 70cm
110 .05597		Schnittkuchenblech 60/40		cake trays 580 x 400mm made of aluminum, material thickness 1.5 mm, edge height 50mm... Quantity: 400 pieces available
110 .05596	Elektrolux	HSG EUAT	2014	Panini grill, power 400V 5000W, 3 PH + N + PE 16A plug Tabletop device: D 60 x 35 H 50cm, magnetrom up to 2450 MHz Control with 4 programs 10/20/50/60 sec.
110 .05587	BLANCO	HAU-PS 5X7		Hand wash basin and utility sink combination, arranged one above the other H: 90cm, with a tap on the upper washbasin with a sensor
110 .05586		Edelstahlarbeitstisch		table, 190 x 65 H 85cm, with stainless steel plate, with shelf, upstand at the back
110 .05584				3 oven loaders for MIWE or W&P deck oven, deck length 2,0m, (Trigger on the bottom), incl. stainless steel wagon, full length 2,4m
110 .05583				10 oven loaders for MIWE or W&P deck oven, deck length 2,0m, (Trigger on the bottom), incl. stainless steel wagon, full length 2,4m
110 .05582				10 oven loaders for MIWE or W&P deck oven, deck length 2,0m, (Trigger on the bottom), incl. stainless steel wagon, full length 2,4m
110 .05577				10 oven loaders for MIWE or W&P deck oven, deck length 2,0m, (Trigger on the bottom), incl. stainless steel wagon, full length 2,4m

List of second hand machines

110 .05550		Frosterwagen 60/100	Stainless steel trolleys, used trolleys, with 30 editions, with rounded corners, 20 pieces available
110 .05549		Gärdielen 60/40	proofing trays, made of aluminum, 5mm perforation on the sides and below, with a 5cm height edge, stackable, approx. 5000 pieces available
110 .05532	Mussana	Pony Microtronic	Cream machine with cooling and automatic cleaning, with automatic dosing with 4 programs 18/30/40 / 60gr and continuous operation, tank capacity 2 liters, completely covered with stainless steel, hourly output up to 90 liters of cream
110 .05530		Edelstahlarbeitstisch	stainless steel work table 300 x 100 H: 110cm, with wood plate
110 .05529		Snacktisch	stainless steel frame 290 x 90 H 50cm, can be operated from both sides, side support 25cm, upper support 40cm
110 .05528		Edelstahlarbeitstisch	Stainless steel table 190 x 80 H: 90cm, with stainless steel plate, with upstand at the back, with shelf
110 .05527		Edelstahlarbeitstisch	Stainless steel table 300 x 80 H: 90cm, with stainless steel plate, with upstand at the back
110 .05522		Edelstahlarbeitstisch	stainless steel table 190 x 80 H: 85cm, with stainless steel plate, with upstand at the back, with shelf, mobile
110 .05520		Edelstahlarbeitstisch	Stainless steel table 250 x 60 H: 85cm, with stainless steel plate

List of second hand machines

110 .05519		Edelstahlarbeitstisch		Stainless steel table 250 x 60 H: 85cm, with stainless steel plate
110 .05513	BM-TEC		2012	Conveyor belt, discharge belt, ascending belt, 70 cm long x 35 cm wide, inlet 90 cm high, outlet height adjustable 75 - 106 cm, speed adjustable
110 .05507		Chafin Dish GN 1/1		Warming container with hinged lid, without fuel paste container, 5 pieces
110 .05505	BLANCO	SAW 1		Food serving trolley, for 1 GN 1/1 container, completely made of stainless steel, temperature range + 30 ° C to + 95 ° C, open substructure, handle strip on the front
110 .05498		BREMA 711021	2017	Ice cube maker, hollow cone 18 grams, 35 x 31 mm, daily output approx. 25 kg, incl. approx. 4 kg storage container, stainless steel clad
110 .05497		Hendi 263600	2017	Kontaktgrill, Paninigrill, Grillfläche B 22 x T 23cm, Grillplatte aus emaillertem Gusseisen, Temperatur 50 - 300°C, mit manueller Steuerung
110 .05426	BLANCO	HA-PS 5X7		Hand wash basin and sink combination, arranged one above the other H: 90cm, with tap on the upper sink with sensor and manual tap
110 .05421		HENDI 263600	2017	Contact grill, panini grill, grill plate W 22 x D 23cm, grill plate made of enamelled cast iron, temperature 50 - 300 ° C, with manual control
110 .05408		Zerlegetisch		stainless steal table

List of second hand machines

110 .05174		Heidebrenner		gas stove, 2 flames, with propane-gas connection
110 .05079	WMF	CombiNation E Typ 03860	2009	coffee machine
110 .05077	WMF	Cafemat 03.3800	2011	coffee machine
110 .05065	Neumäker	05-80660 Duplex 6		contactgrill, sandwichgrill, grill size 37 x 25cm, temperature range 50 - 280°C, with digital timer
110 .05025	BM-TEC	Teigzuführband für Twin D		dough feeding conveyor, belt 60cm wide, 260cm long, outfeed 195cm high, for 250kg dough, outer height 230cm, with belt scraper, speed adjustable
110 .04977	Lipsia	Zufuhrband		transport belt, 124cm wide, 195cm long
110 .04976	Lipsia	Zufuhrband		transport belt, 125cm wide, 110cm long, 90cm high
110 .04972	Lipsia	Zufuhrband	2013	transport belt, 4-rows, 10cm wide, 240/260/280/300 long, 90cm high,
110 .04804	Heidebrenner	Heidebrenner		gas cooker, 2 flames, 85x40 H 70cm,

List of second hand machines

110 .04776	Hobart	UXTH-GH	2007	utensil washer, digital control, basket size appr. 1240 x 700 mm x 80cm height, performance 30 baskets with trays p/h, cleaning temperature: 60 °C, rinse aid temperature 85 °C, tank capacity 130 l, inserting height appr. 90cm, with in and outlet sink
110 .04723	WMF	Presto 03.1400	2011	fully automated coffee machine, with TOUCH control and 6 product option keys (double assignment), fixed water connection, for appr. 100 cups/day, with automatic milk frother, height-adjustable outlet, for espresso, cappuccino, coffee, latte macchiato etc.
110 .04688	Scholl	C0100		heating plate 60x40cm, 230V posser, temperature range 0-100°C
110 .04672	Neumäker	05-80660 Duplex 6		contactgrill, sandwichgrill, grill size 37 x 25cm, temperature range 50 - 280°C, with digital timer
110 .00788		Backblech mit Loch 60/40		used baking sheets/trays, 60/40, coated with 2 rims (at the long)
110 .00787		Backblech mit Loch 60/40		used baking sheets/trays, 60/40, with 4 rims
110 .00784		Backblech mit Loch 60/80		used baking sheets/trays, perforated, 3-sided, coated
110 .00782		Backblech mit Loch 60/80		used baking sheets/trays, 4-sided, coated
110 .00491	Wachtel	Stikkenwagen 60/80		rotary wagon for WACHTEL rack oven, quantity 3

List of second hand machines

110 .00487

Stikkenwagen 60/100

oven wagon